

FIG. 1




FIG. 2




FIG. 3




FIG. 4

```

graph TD
    500([START  
500]) --> 502[DOWNLOAD  
CONFIGURATION FILE  
502]
    502 --> 504[PARSE CONFIGURATION  
FILE  
504]
    504 --> 506[IDENTIFY INDEX STYLE  
SHEET ADDRESS  
506]
    506 --> 508[DOWNLOAD INDEX STYLE  
SHEET  
508]
    508 --> 510[PARSE INDEX STYLE SHEET  
510]
    510 --> 512[IDENTIFY TOKENIZING  
PROCEDURE ADDRESS  
512]
    512 --> 514[DOWNLOAD TOKENIZING  
PROCEDURE  
514]
    514 --> 518[DOWNLOAD DOCUMENT  
518]
    518 --> 520[PARSE DOCUMENT  
520]
    520 --> 522[CONVERT PARSED  
DOCUMENT INTO TOKENS  
522]
    522 --> 524[CREATE INDEX USING  
TOKENS  
524]
    524 --> 526[MAKE INDEX AVAILABLE TO  
SEARCH ENGINE  
526]
    526 --> 528([END  
528])
    524 -- "FOR ALL DOCUMENTS" --> 518
  
```



005220-6E4ET56D




FIG. 6